



## KMI Panel Outcomes – 18th to 19th October 2025

Match Round	Home Team	Away Team	Incident / On-field Decision	Minute	Referee or Assistant	Difficulty	KMI On-field decision outcome	Votes (Correct: Incorrect)	VAR overturn (Y/N)	KMI VAR intervention outcome	Votes (Correct: Incorrect)	KMI Final Decision outcome	Votes (Correct: Incorrect)	Notes
MR8	Hibernian	Livingston	Possible penalty for L26 challenge on H18 - penalty awarded	50	Referee	2	Correct	3:0	N	Correct	3:0	Correct	3:0	The on-field decision was unanimously supported.
MR8	St Mirren	Aberdeen	Goal scored by STM13 - goal awarded - potential offside in build-up (APP)	57	Assistant Referee	2	Incorrect	0:3	Y	Correct	3:0	Correct	3:0	The panel unanimously agreed that the on-field decision was incorrect. The panel highlighted VAR was correct to intervene to recommend an OFR and the goal was correctly disallowed for offside.
MR8	St Mirren	Aberdeen	Possible red card for STM2 challenge on A18 - yellow card awarded	79	Referee	3	Incorrect	0:3	Y	Correct	3:0	Correct	3:0	The panel unanimously agreed that the on-field decision was incorrect. The panel highlighted VAR was correct to intervene to recommend an OFR and the red card was correctly awarded for violent Conduct.
MR8	St Mirren	Aberdeen	Goal scored by A27 - goal awarded - potential ball out of play in build-up (APP)	95	Assistant Referee	2	Correct	3:0	N	Correct	3:0	Correct	3:0	The on-field decision was unanimously supported.
MR8	Motherwell	Falkirk	Goal scored by M9 - goal not awarded - potential handball in build-up (APP)	73	Referee	2	Correct	3:0	N	Correct	3:0	Correct	3:0	The on-field decision was unanimously supported.
MR8	Motherwell	Falkirk	Goal scored by M90 - goal awarded - potential foul in build-up (APP)	18	Referee	4	Correct	2:1	Y	Incorrect	1:2	Incorrect	1:2	The majority (2:1) of the panel deemed the on-field decision (before VAR intervention) to be correct. Two panel members felt the VAR intervention was incorrect and a goal should have been awarded. One panel member felt VAR was correct to intervene and the decision to disallow the goal and award a free-kick after review was correct.
MR8	Motherwell	Falkirk	Goal scored by F37 - goal awarded - potential foul in build-up (APP)	79	Referee	2	Correct	3:0	N	Correct	3:0	Correct	3:0	The on-field decision was unanimously supported.
MR8	Dundee	Celtic	Goal scored by D3 - goal awarded - potential foul in build-up (APP)	17	Referee	1	Correct	3:0	N	Correct	3:0	Correct	3:0	The on-field decision was unanimously supported.
MR8	Dundee	Celtic	Possible penalty against D8 for handball - penalty awarded	70	Referee	3	Incorrect	0:3	Y	Correct	3:0	Correct	3:0	The panel unanimously agreed that the on-field decision of handball was incorrect. The panel highlighted VAR was correct to intervene to recommend an OFR and the decision of no penalty was correct.

### Difficulty Levels

1. A simple decision that all officials should get correct.
2. A fairly simple decision for a select group official, though with more factors to consider.
3. A more complex decision with a greater degree of subjectivity and/or more factors to consider, that a select group official should nonetheless call correctly.
4. A difficult decision for officials with a high degree of subjectivity or challenging considerations to identify. One that needs deliberation. A 50/50 call.
5. A particularly tough decision that all referees would struggle with. The type of judgement where technology is needed to support officials.